INDEX TO AUTHORS

ABRAMSON, HAROLD A. Electrokinetic phenomena. V. A small but constant source of error in measurements of viscosity, 279

—. VI. Relationship between electric mobility, charge, and titration of proteins, 575

— and GROSSMAN, E. B. Electrokinetic phenomena. VII. Relationship between electric mobility, charge, titration curve, and optical rotation of protein, 605

ALLISON, JAMES B. Stimulation by hydrochloric acid and by the normal aliphatic acids in the sunfish *Eupomotis*, 621

—. See COLE and ALLISON, 119

ANSON, M. L., and MIRSKY, A. E. The effect of denaturation on the viscosity of protein systems, 341

ARNOLD, WILLIAM. See EMERSON and ARNOLD, 391

BARMORE, MARK, and LUCK, JAMES MURRAY. The rôle of phosphate in biological oxidations, 97

BLAIR, H. A. On the intensity-time relations for stimulation by electric currents. I, 709

—. On the intensity-time relations for stimulation by electric currents. II, 731

BOYKIN, JAMES T. See SHOUP and BOYKIN, 107

BURK, DEAN. See LINEWEAVER, BURK, and HORNER, 497

CASTLE, E. S. On "reversal" of phototropism in *Phycomyces*, 487

COLE, KENNETH S. Electric phase angle of cell membranes, 641

COLE, WILLIAM H. Stimulation by the salts of the normal aliphatic acids in the rock barnacle *Balanus balanoides*, 611

— and ALLISON, JAMES B. Stimulation by hydrochloric acid in the catfish, *Schilbeodes*, 119

COULTER, CALVIN B. See STONE and COULTER, 629

CROZIER, W. J., and PINCUS, G. Analysis of the geotropic orientation of young rats. III. Part 1, 201

— and —. Analysis of the geotropic orientation of young rats. III. Part 2, 225

— and —. Analysis of the geotropic orientation of young rats. IV, 243

— and —. Analysis of the geotropic orientation of young rats. V, 421

— and —. Analysis of the geotropic orientation of young rats. VI, 437

—. See HOAGLAND and CROZIER, 15

DAMON, E. B. Dissimilarity of inner and outer protoplasmic surfaces in *Valonia*. III, 525

EMERSON, ROBERT, and ARNOLD, WILLIAM. A separation of the reactions in photosynthesis by means of intermittent light, 391

FERGUSON, A. L., and SCHLUCHTER, A. W. The combining weight of gelatin as an acid, 463
— and —. The mobility of the gelatinate ion, 477

GOWEN, JOHN W., and TOBEY, ELMER R. On the mechanism of milk secretion. The influence of insulin and phlorhizin, 67
— and —. Studies on milk secretion. The influence of inanition, 45
GREENBERG, DAVID M., and MACKEY, M. A. The sol-gel transformation in gelatin, 161
GROSSMAN, E. B. See ABRAMSON and GROSSMAN, 605
GRUNDFEST, HARRY. The sensibility of the sunfish, *Lepomis*, to monochromatic radiation of low intensities, 307
—. The spectral sensibility of the sunfish as evidence for a double visual system, 507

HARVEY, E. NEWTON. Photocell analysis of the light of the Cuban elaterid beetle, *Pyrophorus*, 139
— and LOOMIS, ALFRED L. High speed photomicrography of living cells subjected to supersonic vibrations, 147
HECHT, SELIG, and WOLF, ERNST. Intermittent stimulation by light. I. The validity of Talbot's law for *Mya*, 369
HITCHCOCK, DAVID I. The combination of a standard gelatin preparation with hydrochloric acid and with sodium hydroxide, 125
HOAGLAND, H., and CROZIER, W. J. Geotropic excitation in *Helix*, 15
HOLLENBERG, G. J. Some physical and chemical properties of the cell sap of *Halicystis ovalis* (Lyngbye) Areschoug, 651
HORNER, C. KENNETH. See LINEWEAVER, BURK, and HORNER, 497
HUSSEY, RAYMOND. See THOMPSON and HUSSEY, 9
—. See THOMPSON, JOHNSON, and HUSSEY, 1

JACQUES, A. G., and OSTERHOUT, W. J. V. The accumulation of electrolytes. IV. Internal *versus* external concentrations of potassium, 537
JOHNSON, CARL E. See THOMPSON, JOHNSON, and HUSSEY, 1

KLEINER, ISRAEL S. See TAUBER and KLEINER, 155
KRUEGER, ALBERT P. The heat inactivation of antistaphylococcus bacteriophage, 363
—. See NORTHROP and KRUEGER, 329

LINEWEAVER, HANS, BURK, DEAN, and HORNER, C. KENNETH. The temperature characteristic of respiration of *Azotobacter*, 497
LOOMIS, ALFRED L. See HARVEY and LOOMIS, 147
LUCK, JAMES MURRAY. See BARMORE and LUCK, 97
LUYET, BASILE J. Variation of the electric resistance of plant tissues for alternating currents of different frequencies during death, 283

MACKEY, M. A. See GREENBERG and MACKEY, 161

MARTIN, DONALD S. The oxygen consumption of *Escherichia coli* during the lag and logarithmic phases of growth, 691
MIRSKY, A. E. See ANSON and MIRSKY, 341

NELSON, J. M., PALMER, ELIZABETH T., and WILKES, B. G. Similarity of the kinetics of invertase action *in vivo* and *in vitro*, 491
NORTHROP, JOHN H. The presence of a gelatin-liquefying enzyme in crude pepsin preparations, 29
— and KRUEGER, ALBERT P. The rôle of intracellular bacteriophage in lysis of susceptible staphylococci, 329

OSTERHOUT, W. J. V., and STANLEY, W. M. The accumulation of electrolytes. V. Models showing accumulation and a steady state, 667
—. See JACQUES and OSTERHOUT, 537

PALMER, ALBERT H. The adsorption of gelatin by collodion membranes, 551
PALMER, ELIZABETH T. See NELSON, PALMER, and WILKES, 491
PINCUS, G. See CROZIER and PINCUS, 201, 225, 243, 421, 437

RAHN, OTTO. A chemical explanation of the variability of the growth rate, 257
RASHEVSKY, N. On the physical nature of "cytotropism" and allied phenomena and their bearing on the physics of organic form, 289

SCHLUCHTER, A. W. See FERGUSON and SCHLUCHTER, 463, 477
SHOUP, CHARLES S., and BOYKIN, JAMES T. The insensitivity of *Paramecium* to cyanide and effects of iron on respiration, 107
STANLEY, W. M. See OSTERHOUT and STANLEY, 667
STONE, FLORENCE M., and COULTER, CALVIN B. Porphyrine compounds derived from bacteria, 629

TANG, PEI-SUNG. The effects of CO and light on the oxygen consumption and on the production of CO_2 by germinating seeds of *Lupinus albus*, 655
—. On the respiratory quotient of *Lupinus albus* as a function of temperature, 561
—. A respirometer vessel for study of metabolism of seeds, 571
—. Temperature characteristics for the production of CO_2 by germinating seeds of *Lupinus albus* and *Zea mays*, 87
TAUBER, HENRY, and KLEINER, ISRAEL S. Studies on crystalline urease. IV. The "antitryptic" property of crystalline urease, 155
THOMPSON, WILLIAM R., and HUSSEY, RAYMOND. The effect of radiations from a mercury arc in quartz on enzymes. II. The effect of ultraviolet radiation on amylase in solution, 9
—, JOHNSON, CARL E., and HUSSEY, RAYMOND. A viscosimetric method of estimating enzyme concentration with special reference to amylase, 1
TOBEY, ELMER R. See GOWEN and TOBEY, 45, 67

UPTON, MORGAN. The effect of added loads upon the geotropic orientation of young guinea pigs, 333

WHITAKER, D. M. On the rate of oxygen consumption by fertilized and unfertilized eggs. I. *Fucus vesiculosus*, 167
—. II. *Cumingia tellinoides*, 183
—. III. *Nereis limbata*, 191
WILKES, B. G. See NELSON, PALMER, and WILKES, 491
WOLF, ERNST. See HECHT and WOLF, 369
WYCKOFF, RALPH W. G. The killing of colon bacilli by ultraviolet light, 351

INDEX TO SUBJECTS

ACID, gelatin, combining weight, 463
Aliphatic acids, normal, salts, stimulating rock barnacle, *Balanus balanoides*, 611
— —, —, stimulation in sunfish, *Eupomotis*, 621
Amylase concentration estimated by viscosimetric method, 1
— in solution, effect of ultraviolet radiation, 9
Antistaphylococcus bacteriophage, heat inactivation, 363
Antitryptic property of crystalline urease, 155
Azotobacter, respiration, temperature characteristic, 497

BACILLUS *coli*, killing by ultraviolet light, 351
Bacteria, porphyrine compounds derived from, 629
Bacteriophage, antistaphylococcus, heat inactivation, 363
—, intracellular, rôle in lysis of susceptible staphylococci, 329
Balanus balanoides, stimulation by salts of normal aliphatic acids, 611
Barnacle, rock, *Balanus balanoides*, stimulation by salts of normal aliphatic acids, 611
Beetle, Cuban elaterid, *Pyrophorus*, photocell analysis of light, 139
Biological oxidations, rôle of phosphate, 97

CARBON dioxide production by germinating seeds of *Lupinus albus*, effect of carbon monoxide, 655
Carbon dioxide production by germinating seeds of *Lupinus albus*, effect of light, 655
— — — — germinating seeds of *Lupinus albus*, temperature characteristics, 87
— — — — germinating seeds of *Zea mays*, temperature characteristics, 87
— monoxide, effect on oxygen consumption and production of carbon dioxide by germinating seeds of *Lupinus albus*, 655
Catfish, *Schilbeodes*, hydrochloric acid stimulation, 119
Cell membranes, electric phase angle, 641
— sap of *Halicystis ovalis* (Lyngbye) Areschoug, chemical properties, 651
— — — *Halicystis ovalis* (Lyngbye) Areschoug, physical properties, 651
Cells, living, subjected to supersonic vibrations, high speed micrography, 147
Charge, electric, and electric mobility, titration curve, and optical rotation of protein, relationship, 605
—, —, — — mobility, and titration of proteins, relationship, 575
Chemical explanation of variability of growth rate, 257
— properties of cell sap of *Halicystis ovalis* (Lyngbye) Areschoug, 651
Collodion membranes, adsorption of gelatin, 551
Colon bacillus. *See Bacillus coli.*
Crystalline urease, 155
— —, antitryptic property, 155

Cuban elaterid beetle, *Pyrophorus*, photocell analysis of light, 139
Cumingia tellinoides, rate of oxygen consumption by fertilized eggs, 183
— —, — — oxygen consumption by unfertilized eggs, 183
Cyanide, insensitivity of *Paramecium* to, 107
Cytotropism and allied phenomena, physical nature and bearing on physics of organic form, 289

DEATH, variation of electric resistance of plant tissues for alternating currents of different frequencies during, 283
Denaturation, effect on viscosity of protein systems, 341

EGGS, fertilized, of *Cumingia tellinoides*, rate of oxygen consumption, 183
—, —, — *Fucus vesiculosus*, rate of oxygen consumption, 167
—, —, — *Nereis limbata*, rate of oxygen consumption, 191
—, unfertilized, of *Cumingia tellinoides*, rate of oxygen consumption, 183
—, —, — *Fucus vesiculosus*, rate of oxygen consumption, 167
—, —, — *Nereis limbata*, rate of oxygen consumption, 191
Elaterid beetle, Cuban, *Pyrophorus*, photocell analysis of light, 139
Electric charge, electric mobility, titration curve, and optical rotation of protein, relationship, 605
— —, mobility, and titration of proteins, relationship, 575
— mobility, charge, titration curve, and optical rotation of protein, relationship, 605
— —, —, and titration of proteins, relationship, 575
— phase angle of cell membranes, 641
Electric resistance of plant tissues, variation for alternating currents of different frequencies during death, 283
Electricity, intensity-time relations for stimulation by electric currents, 709, 731
Electrokinetic phenomena, 279, 575, 605
Electrolytes, accumulation, 537, 667
—, models showing accumulation and steady state, 667
Enzyme concentration, viscosimetric method of estimating, with special reference to amylase, 1
—, gelatin-liquefying, presence in crude pepsin preparations, 29
Enzymes, effect of radiations from mercury arc in quartz, 9
Escherichia coli, oxygen consumption during lag phase of growth, 691
— —, — — during logarithmic phase of growth, 691
Eupomotis, stimulation by hydrochloric acid, 621
—, — — normal aliphatic acids, 621

FERTILIZED eggs of *Cumingia tellinoides*, rate of oxygen consumption, 183
— — — *Fucus vesiculosus*, rate of oxygen consumption, 167
— — — *Nereis limbata*, rate of oxygen consumption, 191
Fucus vesiculosus, rate of oxygen consumption by fertilized eggs, 167
— —, — — oxygen consumption by unfertilized eggs, 167

GEL, sol-, transformation in gelatin, 161
Gelatin, adsorption by collodion membranes, 551
— as an acid, combining weight, 463

Gelatin preparation, standard, combination with hydrochloric acid, 125
— —, —, — with sodium hydroxide, 125
—, sol-gel transformation, 161
Gelatin-liquefying enzyme, presence in crude pepsin preparations, 29
Gelatinate ion, mobility, 477
Geotropism in *Helix*, 15
—, young guinea pigs, effect of added loads, 333
—, — rats, 201, 225, 243, 421, 437
Germinating seeds of *Lupinus albus*, effect of carbon monoxide on oxygen consumption and production of carbon dioxide, 655
— — — *Lupinus albus*, effect of light on oxygen consumption and production of carbon dioxide, 655
— — — *Lupinus albus*, temperature characteristics for carbon dioxide production, 87
— — — *Zea mays*, temperature characteristics for carbon dioxide production, 87
Growth of *Escherichia coli*, lag phase, oxygen consumption during, 691
— — — —, logarithmic phase, oxygen consumption during, 691
— rate, variability, chemical explanation, 257

HALICYSTIS *ovalis* (Lyngbye) Areschoug, chemical properties of cell sap, 651
— — — —, physical properties of cell sap, 651
Heat inactivation of antistaphylococcus bacteriophage, 363
Helix, geotropic excitation, 15
Hydrochloric acid, combination with standard gelatin preparation, 125
— — stimulation in catfish, *Schilbeodes*, 119
— — — — sunfish, *Eupomotis*, 621

INANITION, influence on milk secretion, 45
Insulin, influence on mechanism of milk secretion, 67
Intracellular bacteriophage, rôle in lysis of susceptible staphylococci, 329
Invertase action, similarity of kinetics *in vivo* and *in vitro*, 491
In vitro and *in vivo*, similarity of kinetics of invertase action, 491
— *vivo* and *in vitro*, similarity of kinetics of invertase action, 491
Ion, gelatinate, mobility, 477
Iron, effects on respiration of *Paramecium*, 107

KINETICS of invertase action, similarity *in vivo* and *in vitro*, 491

LEPOMIS, sensibility to monochromatic radiation of low intensities, 307
Light, effect on oxygen consumption and carbon dioxide production by germinating seeds of *Lupinus albus*, 655
—, intermittent, for separation of reactions in photosynthesis, 391
— of Cuban elaterid beetle, *Pyrophorus*, photocell analysis, 139
—, sensibility of sunfish, *Lepomis*, to monochromatic radiation of low intensities, 307
—, stimulation, intermittent, 369
—, ultraviolet, effect on amylase in solution, 9
—, —, killing of colon bacilli, 351
Lupinus albus, germinating seeds, effect of carbon monoxide on oxygen consumption and production of carbon dioxide, 655
— —, — —, effect of light on oxygen consumption and production of carbon dioxide, 655
— —, — —, temperature characteristics for carbon dioxide production, 87

Lupinus albus, respiratory quotient as function of temperature, 561
Lysis, susceptible staphylococci, rôle of intracellular bacteriophage, 329

MEMBRANES, cell, electric phase angle, 641
—, collodion, adsorption of gelatin, 551
Mercury arc in quartz, effect of radiations on enzymes, 9
Metabolism of seeds, respirometer vessel for study, 571
Milk secretion, 45
— —, influence of inanition, 45
— —, — — insulin, 67
— —, — — phlorhizin, 67
— —, mechanism, 67
Mya, validity of Talbot's law, 369

NEREIS *limbata*, rate of oxygen consumption by fertilized eggs, 191
— —, — — oxygen consumption by unfertilized eggs, 191

OPTICAL rotation of protein, and electric mobility, charge, and titration curve, relationship, 605
Orientation, geotropic, of young guinea pigs, effect of added loads, 333
—, —, — young rats, 201, 225, 243, 421, 437
Oxidations, biological, rôle of phosphate, 97
Oxygen consumption by fertilized eggs of *Cumingia tellinoides*, rate, 183
— — — — eggs of *Fucus vesiculosus*, rate, 167
— — — — eggs of *Nereis limbata*, rate, 191
— — — unfertilized eggs of *Cumingia tellinoides*, rate, 183
Oxygen consumption by unfertilized eggs of *Fucus vesiculosus*, rate, 167
— — — — eggs of *Nereis limbata*, rate, 191
— — of *Escherichia coli* during lag phase of growth, 691
— — — *Escherichia coli* during logarithmic phase of growth, 691
— — — germinating seeds of *Lupinus albus*, effect of carbon monoxide, 655
— — — — seeds of *Lupinus albus*, effect of light, 655

PARAMECIUM, effects of iron on respiration, 107
—, insensitivity to cyanide, 107
Pepsin preparations, crude, presence of gelatin-liquefying enzyme, 29
Phlorhizin, influence on mechanism of milk secretion, 67
Phosphate, rôle in biological oxidations, 97
Photocell analysis of light of Cuban elaterid beetle, *Pyrophorus*, 139
Photomicrography, high speed, of living cells subjected to supersonic vibrations, 147
Photosynthesis, reactions, separation by intermittent light, 391
Phototropism, *Phycomyces*, reversal, 487
Phycomyces, reversal of phototropism, 487
Physical nature of cytotropism and allied phenomena and bearing on physics of organic form, 289
— properties of cell sap of *Halicystis ovalis* (Lyngbye) Areschoug, 651
Physics of organic form, bearing of cytotropism and allied phenomena, 289
Plant tissues, variation of electric resistance for alternating currents of different frequencies during death, 283

Porphyrine compounds derived from bacteria, 629
Potassium, internal *versus* external concentrations, 537
Protein, optical rotation, and electric mobility, charge, and titration curve, relationship, 605
— systems, viscosity, effect of denaturation, 341
Proteins, electric mobility, charge, and titration, relationship, 575
Protoplasm, inner and outer surfaces, dissimilarity in *Valonia*, 525
Pyrophorus, Cuban elaterid beetle, photocell analysis of light, 139

QUARTZ, mercury arc in, effect of radiations on enzymes, 9

RADIATION of low intensities, monochromatic, sensibility of sunfish, *Lepomis*, 307
—, ultraviolet, effect on amylase in solution, 9
Radiations from mercury arc in quartz, effect on enzymes, 9
Respiration, *Azotobacter*, temperature characteristic, 497
—, *Paramecium*, effects of iron, 107
Respiratory quotient of *Lupinus albus* as function of temperature, 561
Respirometer vessel for study of metabolism of seeds, 571

SALTS of normal aliphatic acids stimulating rock barnacle, *Balanus balanoides*, 611
Sap, cell, of *Halicystis ovalis* (Lyngbye) Areschoug, chemical properties, 651
—, —, — *Halicystis ovalis* (Lyngbye) Areschoug, physical properties, 651
Schilbeodes, hydrochloric acid stimulation, 119
Secretion, milk, 45
—, —, mechanism, 67
Seeds, germinating, of *Lupinus albus*, temperature characteristics for carbon dioxide production, 87
—, —, — *Zea mays*, temperature characteristics for carbon dioxide production, 87
—, metabolism, respirometer vessel for study, 571
— of *Lupinus albus*, germinating, effect of carbon monoxide on oxygen consumption and production of carbon dioxide, 655
— — — —, germinating, effect of light on oxygen consumption and production of carbon dioxide, 655
Sodium hydroxide, combination with standard gelatin preparation, 125
Sol-gel transformation in gelatin, 161
Spectral sensibility of sunfish as evidence for double visual system, 507
Staphylococci, susceptible, lysis, rôle of intracellular bacteriophage, 329
Stimulation, electric current, intensity-time relations, 709, 731
—, hydrochloric acid, in catfish, *Schilbeodes*, 119
—, — —, — sunfish, *Eupomotis*, 621
—, intermittent, by light, 369
—, normal aliphatic acid, in sunfish, *Eupomotis*, 621
—, salts of normal aliphatic acids, in rock barnacle, *Balanus balanoides*, 611
Sunfish, *Eupomotis*, hydrochloric acid stimulation, 621
—, —, normal aliphatic acid stimulation, 621
—, *Lepomis*, sensibility to monochromatic radiation of low intensities, 307

Sunfish, spectral sensibility as evidence for double visual system, 507

TALBOT'S law, validity for *Mya*, 369
Temperature characteristic of respiration of *Azotobacter*, 497
— characteristics for carbon dioxide production by germinating seeds of *Lupinus albus*, 87
— — — carbon dioxide production by germinating seeds of *Zea mays*, 87
—, respiratory quotient of *Lupinus albus* as function of, 561
Tissues, plant, variation of electric resistance for alternating currents of different frequencies during death, 283
Titration curve, electric mobility, charge, and optical rotation of protein, relationship, 605
— of proteins, electric mobility, and charge, relationship, 575

ULTRAVIOLET light, killing of colon bacilli, 351
— radiation, effect on amylase in solution, 9
Urease, crystallinc, 155
—, —, antitryptic property, 155

VALONIA, dissimilarity of inner and outer protoplasmic surfaces, 525
Vibrations, supersonic, high speed photomicrography of living cells subjected to, 147
Viscosimetric method of estimating enzyme concentration with special reference to amylase, 1
Viscosity measurements, source of error, small but constant, 279
— of protein systems, effect of denaturation, 341
Vision, double system, in sunfish, *Lepomis*, spectral sensibility as evidence for, 507

ZEA *mays*, germinating seeds, temperature characteristics for carbon dioxide production, 87